2020-05-07 Rev.2.0

TOSHIBA

RD Number: RD089

RD Title: TB6605FTG Evaluation circuit BOM

Item No.	Designator	Quantity	Value	Part Number	Manufacturer	Description	Package	Not Mount
1	IC1	1	TB6605FTG	TB6605FTG	TOSHIBA	Motor Driver IC	QFN36	
2	R1	1	3.9kΩ 0.25W	_	_	Chip resistor	3.2mm×1.6mm	
3	R1A	1	3.9kΩ 0.25W	_	_	Chip resistor	3.2mm×1.6mm	
4	R1B	1	3.9kΩ 0.25W	_	_	Chip resistor	3.2mm×1.6mm	
5	R2	1	100Ω 0.25W	_	_	Chip resistor	3.2mm×1.6mm	
6	R3	1	68kΩ 0.25W	_	_	Chip resistor	3.2mm×1.6mm	
7	R4	1	33kΩ 0.25W	_	_	Chip resistor	3.2mm×1.6mm	
8	R5	1	1kΩ 0.25W	_	_	Chip resistor	3.2mm×1.6mm	
9	R6	1	0.1Ω 1W	_	_	Fixed Metal Film Resistor	9.0mm×3.0mm	
10	R7	1	10kΩ 0.25W	_	_	Chip resistor	3.2mm×1.6mm	
11	R8	1	0Ω	_	_	Chip resistor	3.2mm×1.6mm	
12	R9	0	Not mount	_	_	Chip resistor	3.2mm×1.6mm	✓
13	R10	1	100kΩ 0.25W	_	_	Chip resistor	3.2mm×1.6mm	
14	R11	1	0Ω	_	_	Chip resistor	3.2mm×1.6mm	
15	R12	1	Ω0	_	_	Chip resistor	3.2mm×1.6mm	
16	R13	1	Ω0	_	_	Chip resistor	3.2mm×1.6mm	
17	R14	1	Ω0	_	_	Chip resistor	3.2mm×1.6mm	
18	R15	1	Ω0	_	_	Chip resistor	3.2mm×1.6mm	
19	R16	1	Ω0	_	_	Chip resistor	3.2mm×1.6mm	
20	R17	1	11kΩ 0.125W	_	_	Chip resistor	1.6mm×0.8mm	
21	C1	1	0.01μF 50V	_	_	Chip capacitor	1.6mm×0.8mm	
22	C2	1	0.01μF 50V	_	_	Chip capacitor	1.6mm×0.8mm	
23	C3	1	0.01μF 50V	_	_	Chip capacitor	1.6mm×0.8mm	
24	C4	1	0.015µF 50V	_	_	Chip capacitor	1.6mm×0.8mm	
25	C5	1	1.0μF 50V	_	_	Chip capacitor	2.0mm×1.25mm	

26	C6	1	2200pF 100V	_	_	Lead capacitor	
27	C7	1	0.47μF 50V	_	_	Chip capacitor	2.0mm×1.25mm
28	C8	1	0.1μF 50V	_	_	Chip capacitor	1.6mm×0.8mm
29	C9	1	0.1μF 50V	_	_	Chip capacitor	1.6mm×0.8mm
30	C10	1	47μF 50V	_	_	Electrolytic capacitor	
31	C11	1	47pF 50V	_	_	Chip capacitor	1.6mm×0.8mm
32	C12	1	0.1μF 50V	_	_	Chip capacitor	1.6mm×0.8mm
33	C13	1	3300pF 50V	_	_	Chip capacitor	1.6mm×0.8mm
34	CA	1	0.1μF 50V	_	_	Chip capacitor	1.6mm×0.8mm
35	СВ	1	0.1μF 50V	_	_	Chip capacitor	1.6mm×0.8mm
36	CC	1	0.1μF 50V	_	_	Chip capacitor	1.6mm×0.8mm
37	SW1	1	Toggle Switch	_	_	Toggle Switch	
38	SW3	1	Toggle Switch	_	_	Toggle Switch	
39	FET1	1	TPC8224-H	TPC8224-H,LQ(S	TOSHIBA	N-ch*2 MOSFET	SOP-8
40	FET2	1	TPC8224-H	TPC8224-H,LQ(S	TOSHIBA	N-ch*2 MOSFET	SOP-8
41	FET3	1	TPC8224-H	TPC8224-H,LQ(S	TOSHIBA	N-ch*2 MOSFET	SOP-8

Terms of Use

This terms of use is made between Toshiba Electronic Devices and Storage Corporation ("We") and customers who use documents and data that are consulted to design electronics applications on which our semiconductor devices are mounted ("this Reference Design"). Customers shall comply with this terms of use. Please note that it is assumed that customers agree to any and all this terms of use if customers download this Reference Design. We may, at its sole and exclusive discretion, change, alter, modify, add, and/or remove any part of this terms of use at any time without any prior notice. We may terminate this terms of use at any time and for any reason. Upon termination of this terms of use, customers shall destroy this Reference Design. In the event of any breach thereof by customers, customers shall destroy this Reference Design, and furnish us a written confirmation to prove such destruction.

1. Restrictions on usage

- 1. This Reference Design is provided solely as reference data for designing electronics applications. Customers shall not use this Reference Design for any other purpose, including without limitation, verification of reliability.
- 2. This Reference Design is for customer's own use and not for sale, lease or other transfer.
- 3. Customers shall not use this Reference Design for evaluation in high or low temperature, high humidity, or high electromagnetic environments.
- 4. This Reference Design shall not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable laws or regulations.

2. Limitations

- 1. We reserve the right to make changes to this Reference Design without notice.
- 2. This Reference Design should be treated as a reference only. We are not responsible for any incorrect or incomplete data and information.
- 3. Semiconductor devices can malfunction or fail. When designing electronics applications by referring to this Reference Design, customers are responsible for complying with safety standards and for providing adequate designs and safeguards for their hardware, software and systems which minimize risk and avoid situations in which a malfunction or failure of semiconductor devices could cause loss of human life, bodily injury or damage to property, including data loss or corruption. Customers must also

refer to and comply with the latest versions of all relevant our information, including without limitation, specifications, data sheets and application notes for semiconductor devices, as well as the precautions and conditions set forth in the "Semiconductor Reliability Handbook".

- 4. When designing electronics applications by referring to this Reference Design, customers must evaluate the whole system adequately. Customers are solely responsible for all aspects of their own product design or applications. WE ASSUME NO LIABILITY FOR CUSTOMERS' PRODUCT DESIGN OR APPLICATIONS.
- 5. No responsibility is assumed by us for any infringement of patents or any other intellectual property rights of third parties that may result from the use of this Reference Design. No license to any intellectual property right is granted by this terms of use, whether express or implied, by estoppel or otherwise.
- 6. THIS REFERENCE DESIGN IS PROVIDED "AS IS". WE (a) ASSUME NO LIABILITY WHATSOEVER, INCLUDING WITHOUT LIMITATION, INDIRECT, CONSEQUENTIAL, SPECIAL, OR INCIDENTAL DAMAGES OR LOSS, INCLUDING WITHOUT LIMITATION, LOSS OF PROFITS, LOSS OF OPPORTUNITIES, BUSINESS INTERRUPTION AND LOSS OF DATA, AND (b) DISCLAIM ANY AND ALL EXPRESS OR IMPLIED WARRANTIES AND CONDITIONS RELATED TO THIS REFERENCE DESIGN, INCLUDING WARRANTIES OR CONDITIONS OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, ACCURACY OF INFORMATION, OR NONINFRINGEMENT.

3. Export Control

Customers shall not use or otherwise make available this Reference Design for any military purposes, including without limitation, for the design, development, use, stockpiling or manufacturing of nuclear, chemical, or biological weapons or missile technology products (mass destruction weapons). This Reference Design may be controlled under the applicable export laws and regulations including, without limitation, the Japanese Foreign Exchange and Foreign Trade Law and the U.S. Export Administration Regulations. Export and re-export of this Reference Design are strictly prohibited except in compliance with all applicable export laws and regulations.

4. Governing Laws

This terms of use shall be governed and construed by laws of Japan.