



## WHITE PAPER

# Beyond Capacity: Storage Architecture Choices for the Modern Datacenter

Sponsored by: Toshiba

Nick Sundby  
February 2014

Donna Taylor

## IDC OPINION

---

Enterprise customers are faced with an unprecedented diversity of choice when selecting the storage components and infrastructure for their datacenters and cloud environments. With an intelligent combination of flash storage and spinning media, enterprise data can be positioned and migrated so that its business value is optimized throughout the data life cycle.

The exponential growth of data is well established and most companies have developed strategies to manage growth rates that average 35% or more per year. Hard drive vendors have achieved an impressive record in boosting density but I/O capability of hard drives has not advanced to the same degree. A performance gap has opened up, amplified by advances in multicore servers. Today, the ability to scale storage I/O capability while holding large quantities of cold data in a cost-effective and resilient manner is a fundamental requirement.

Increasingly, flash storage is penetrating every facet of computing, from client devices to the datacenter. The advantages of flash performance are well recognized, but the cost of flash prevents it from dominating storage. As such, flash is an effective complement to other storage technologies, especially HDD storage. This is epitomized in PCs that use dual-drive systems (SSD module plus conventional HDD), and in datacenters that combine a flash layer with HDD storage.

However, the addition of flash technology to an HDD-optimized storage environment can create both opportunity and confusion for the enterprise. As a result, enterprises are relying more heavily on partnering with the vendor in not only solution selection but in the design of the storage architecture itself as well. IDC believes:

- Enterprises have a widening choice in how and where HDDs and SSDs are deployed in their datacenter and cloud environments. Correct choices will demand a deeper understanding of a company's data life cycle and workload response times than was necessary in the past.
- Resilience, efficiency, and cost-effectiveness are desirable characteristics of an enterprise storage platform. Achieving this will typically require a carefully chosen blend of enterprise flash and HDD storage elements, from an enterprise vendor with proven expertise.
- System integrators must meet and exceed diverse client expectations in the datacenter and the cloud, including TCO, ease of use, and sustained performance amid diverse workload requirements.

## IN THIS WHITE PAPER

---

The conventional approach to choosing enterprise storage is being challenged. New acquisition models are rapidly emerging backed by strategic shifts from the major storage vendors. These developments offer the potential for dramatic changes in the established pricing model, but require the user to make informed choices. This paper sets out the new dynamics and offers guidance in getting the best from these new opportunities.

## SITUATION OVERVIEW

---


The IT industry is shifting to a new technology platform for growth and innovation. IDC calls it the 3rd Platform, built on mobile devices and apps, cloud services, mobile broadband networks, Big Data/analytics, and social technologies. Millions of users are connected to each other through mobile broadband with access to millions of applications and cloud services, which is contributing to the continuing exponential growth of data. IDC projects that the digital universe will reach 40ZB by 2020, exceeding all previous forecasts. IDC believes that only 0.5% of the world's data is actually being analyzed, hence the importance of technology and talent to extract the hidden value from Big Data. The enterprise storage systems market grew from 7.3EB in 2009 to 20.5EB in 2012. Driving the tremendous storage growth are the following macro-level drivers:

- **Cloud computing.** This is a new delivery and service model that will shape IT spending over the next several decades. It entails shared access to virtualized resources over the Internet. Public IT cloud services spending will reach \$47.4 billion in 2013 and nearly \$108 billion in 2017, with a five-year compound annual growth rate (CAGR) of 23.5% – five times the growth of the IT industry as a whole. These services will drive 17% of IT product spend by 2017, up from 8% in 2012.
- **Mobile devices.** The "bring-your-own-device" (BYOD) trend, where corporate end users prefer to use their own devices to access information and create corporate content, has been growing rapidly in the corporate sector, such that many workers now have two or more mobile devices to access the corporate network. Access to software functions "as a service" that were once available only through licensed software deployed in the datacenter will continue to fuel public cloud services and storage capacity.
- **Big Data with real-time analytics.** Information overload and the time and cost of finding the right information are significant issues for many organizations. These factors present an opportunity that can be addressed with Big Data platforms that enable nearly continuous, real-time analysis of data from a wide variety of sources. This new opportunity will drive new partnerships and specialized solutions into the market.
- **Machine-generated data.** The information output from machines and sensors is now aggregated to process an even higher level of information and analytics, further driving exponential growth. IDC forecasts that machine-generated data will grow from 19% of the digital universe in 2012 to over 40% of the 40ZB that will be created in total in 2020.
- **Social media.** The growth of services such as Twitter, LinkedIn, and Facebook can easily connect people and create new content that can be shared within a defined group or beyond. The volume of data created by social media is substantial and, combined with the frequency of creation, will challenge IT systems trying to unlock additional value.

While the amount of data to be stored continues to grow, IT organizations' storage budgets do not increase proportionally with the growing needs for storage space. Limited datacenter space and power, growing operational costs, and data management complexity create additional pressure for providers to look for more efficient ways of using their existing storage assets.

**FIGURE 1**

**Workloads Driving Challenges**




Source: IDC, 2013

IDC asked IT managers and storage administrators to identify the workloads that were of high priority when planning their future storage investment. Surprisingly, information archival was identified as a key workload priority by most companies in the survey. Companies told IDC that it was important for them to meet the information retention/retrieval mandates that applied to their industry segment. Also, moving cold data from primary storage to the archive helped to mitigate the growth of data and keep costs at a tolerable level. Replication, snapshots, and provisioning were also simplified by controlling the growth of data on the primary tier.

FIGURE 2

### Biggest Datacenter Challenges



Source: IDC, 2013

When IT managers are asked to identify their top datacenter challenges, it is notable that correctly architected storage infrastructure can play a useful role in addressing the issues. For example, an intelligent, automated combination of solid-state and hard drive storage tiers has potential benefit in mitigating 7 of the top 8 challenges identified above.

### New Acquisition Choices: Software-Defined Storage

Major storage vendors including EMC have announced support for software-defined storage (SDS) which differs from the conventional industry practice of delivering a complete hardware- and software-based storage solution. It is an approach in which the software that controls the storage-related tasks is decoupled from the physical storage hardware.

Software-defined storage emphasizes storage services such as snapshots or deduplication, rather than the storage hardware. For example, a storage administrator can use service levels when deciding how to provision storage and not have to think about hardware attributes. Storage can, in effect, become a shared pool that runs on commodity hardware.

The decoupling of storage hardware changes the way that a storage system is acquired and deployed. The user or integrator is no longer obliged to purchase disks and enclosures from the storage vendor, but is free to choose HDDs and SSDs from off-the-shelf suppliers.

This approach has grown steadily in popularity over recent years, to the extent that a major structural shift in the storage market is now under way. IDC believes that over time, the software-defined storage market will become the de facto mechanism for designing, delivering, and consuming data. The file- and object-based storage market is forecast to reach upward of \$34 billion in 2016. IDC expects more than two-thirds of that to be made of scale-out software-based storage platforms. EMC is already positioning itself to exploit this trend, with its ViPR initiative. HP, Quantum, and others now offer virtual equivalents of their physical storage appliances. Nexenta's software-only storage solutions have been deployed by thousands of users.

Software-defined storage is part of a larger industry trend that includes software-defined networking (SDN) and software-defined datacenters (SDDCs). Reducing the cost of storage is the top priority for large companies planning their storage investments. SDS has the potential to bring about the required reduction in cost while enhancing manageability, flexibility, and performance.

To maximize the benefit of this structural shift, it will be helpful for the user to have an understanding of the underlying storage elements, their characteristics, and optimal use cases.

## NAND Flash Storage

Flash is having a profound impact on storage system architectures. When SSDs were first introduced, they were simply used to replace existing HDDs and speed up the existing infrastructure. However, there are a multitude of different performance and capacity requirements depending on the enterprise workload. Therefore as the technology has evolved, numerous approaches have emerged, depending on the operating environment, to capitalize on the benefits associated with solid-state storage.

## Considerations When Adding Flash Storage

This variety of available solutions means that SSD and flash technology will be utilized in multiple architectures within the datacenter to deliver on both short-term and long-term business requirements. To provide the best match for the performance and capacity necessary for the various types of workloads, the following architectures have emerged:

- **Server based.** A server-based architecture provides the lowest latency because the flash or SSD is closest to the processor and application infrastructure from an I/O path perspective. In general, server-based flash storage cannot be shared between servers. This approach can be targeted specifically to a single application for acceleration with minimal investment.
- **In the network.** Flash is typically deployed as a caching layer between the host and storage layers. Network caching is used for applications when there is inadequate flash capacity on the server to achieve the required high cache hit rates.

Within the storage array, there are two options:

- **Hybrid array.** Hybrid arrays combine HDDs with SSDs in conjunction with intelligent data placement software or policies. In these solutions, SSDs can be leveraged either as persistent storage (written to the drive and can survive a power cycle) through automated

tiering technology or as a cache layer within the array. In either case, a relatively small amount of NAND flash (up to 15%) is used to accelerate the system's performance beyond traditional HDD-only solutions.

- **All-flash array.** All-flash arrays are purpose-built enterprise-grade storage devices using only flash-based SSD as the storage media. These arrays contain no traditional HDDs, but they leverage persistent flash storage in IO-intensive environments such as OLTP databases.

Advances in semiconductor technology and the growing use of NAND flash in the consumer market have pushed NAND flash-based SSDs into the enterprise as a cost-effective solution to address the server/storage performance gap by complementing HDD-based storage infrastructures. When coupled with software functions such as intelligent caching and automated storage tiering, these techniques have made SSD deployment easier and solid-state storage more usable across the enterprise.

SSDs comprise a semiconductor nonvolatile memory (typically NAND flash), an advanced device controller, and an interface to connect to the host. These devices are transforming the entire computing industry as a result of inherent benefits, such as:

- **Cost savings.** Enterprise NAND flash is a more expensive storage media compared with HDDs on a \$/GB basis. Yet, when solid-state storage is integrated into a system with storage optimization technologies such as compression and deduplication, storage vendors can lower the acquisition cost and total cost of ownership. Also, \$/IO/GB is optimized with the use of solid-state storage. To achieve comparable levels of IO performance, traditional HDD arrays must leverage large numbers of drive spindles, with the associated cost, power, and floor space and reliability issues.
- **High performance.** SSDs can achieve multiple GB per second of random data throughput. SSDs offer high I/O operations per second (IOPS) performance. For example, a single SSD can provide in excess of 30,000 IOPS – an order of magnitude improvement over the fastest HDDs. In addition, SSDs provide a more consistent I/O response time because of the predictable access time and high bandwidth.
- **Greater efficiency.** By leveraging SSDs in an intelligent manner, storage vendors aim to make their storage solutions more efficient. For example, by placing the most frequently accessed data on high-performance SSDs and less frequently accessed data, or cooler data, on the most cost-effective HDDs, storage vendors can increase efficiency. SSD-based solutions typically offer reduced power consumption, cooling, and floor space requirements than an HDD-only alternative.

## HDD's Future Role: Storing the Cold Data

Over the past few years, the need for lower-cost storage has come from consumer-generated unstructured content, cloud services and data depots, and a mobile and social world that demands and creates data at the touch of a screen. Much of the data may never be read after it is stored, but the desire is to have it available in case it is requested. Hence the requirement to store it on the lowest-cost platform possible.

IDC believes that HDDs will be the technology platform to provide the industry with this lower tier of "cold" storage. Flash can be seen as the enabler of the lower tier because it is expected that a properly sized layer of flash storage can handle the majority of IOPS in a given commercial workload. If flash can provide that capability, then IT managers will seek to correctly size their flash layer with estimates ranging from 2% to 15% of a datacenter's total storage infrastructure and then

push as much data to the least costly layer. Cost, capacity, and application performance requirements will ultimately determine what proportion of the storage will be cold and what proportion still needs to be stored on performance-optimized HDDs.

The key success factor will be whether or not a cold storage platform can meet the cost requirements without slowing the operations of the datacenter and corresponding applications because of a slower than typical performance where latency may be measured in seconds.

## The Cost of Downtime

It is no surprise that a major system outage can have a negative effect on user productivity, customer service, and even the company's brand image. Quantifying the cost of an outage would be valuable information, particularly when considering how much to spend on improving IT resilience.

IDC research has found that downtime costs are influenced by a range of factors, including:

- Company            Revenue, employees, country, vertical, profit as % revenue, IT users
- IT staff             FTEs available to find and fix downtime issues, salary
- Application        Internal facing, customer facing, or both
- User impact        % users impacted by outage, % productivity loss, salary
- Server OS          Windows, Linux, mainframe, etc.
- IT practices        Use of virtualization, ITIL, HA, monitoring tools, service contracts

The values can be entered into IDC's cost of downtime estimator model to provide a company with an individualized downtime cost estimate. As an example, using industry average figures:

**TABLE 1**

### Industry Average for Cost of Downtime

Company Size	Country	Vertical	Cost of Downtime
100 employees	U.K.	Manufacturing	\$9,800/hr
1,000 employees	U.K.	Manufacturing	\$132,000/hr
5,000 employees	U.K.	Manufacturing	\$570,000/hr

Source: *Cost of Downtime Estimator*, IDC, 2013

A system outage is a rare occurrence for most companies but storage issues can degrade system performance:


- HDD failures and volume rebuild processes can degrade storage system performance for days. In the case of a RAID 5 array, a second failure during the rebuild process may cause data loss. As HDDs have increased in size, rebuild times have risen from a few hours to one or more days. During this process, the controller is reconstructing the data on the failed drive using parity and checksum data, with a consequent loss of performance.

- Multiple virtualized servers running on a physical server will tend to create a random and non-sequential IO pattern that can reduce the effectiveness of storage cache. The response time from the array rises, so lowering application performance and user productivity.
- Incorrectly designed backup processes can clog networks during production hours and increase storage response times.

Such issues are a part of the whole-life cost of a storage array. Other parts include data protection, power and cooling, IT admin overhead, and migration and compliance costs. It's notable that all these are affected by the functional characteristics of the array, and not by the initial purchase price. \$/GB is almost irrelevant when considering the whole-life cost of storage.

**FIGURE 3**

### Downtime Thresholds



Source: IDC, 2013

When asked to quantify the maximum acceptable level of system downtime, today's companies have stringent requirements of the storage infrastructure. In a recent survey, only 19% of those interviewed would tolerate more than a few hours per annum. Since even one hour of downtime can cost over \$100,000 for a 500-employee company, investing in storage hardware of the highest resilience and reliability would seem to be a prudent decision.

### Enterprise- and Consumer-Grade Storage

Storage infrastructure for enterprise users must deliver sustained performance levels far in excess of what is required for single-user consumer applications – typically 100% utilization, 24 hours a day, and seven days a week. A storage hardware failure can disrupt many of the IT users and customers that depend on the reliable provision of IT services. Consumer-grade storage is optimized for low cost and a typical workload utilization of 10%-20% for 40 hours a week. A storage hardware failure at client level will be annoying but will generally affect only the individual user.

## Enterprise- and Consumer-Grade HDDs

To address the differing priorities of these use cases, HDD and SSD vendors develop solutions that are specifically tailored for each environment. Enterprise-class HDDs commonly use the following methods to achieve the required reliability and performance.

- **Heavier grade mechanical components.** The enterprise system will not only support operating system and application tasks locally but will also support client requests 100% of the time. During off-peak times the enterprise system may be scanning the hard drives for defects or errors, performing system backup and other maintenance tasks. Enterprise workloads create greater wear on bearings, motors, actuators, and platter media, which generates additional heat and vibration. Enterprise-class drives are designed with heavy duty components and drive firmware programming to meet the demands of this environment.
- **Higher performance.** Enterprise-class HDDs generally have mechanisms that allow faster data access and retrieval. These features include faster spindle speeds, more powerful actuator magnets, denser magnetic media, and faster processors with more cache memory.
- **Recovery from read errors.** In the case of a read error, consumer-grade drives will typically attempt multiple retries before returning an error that the block was unreadable. During this time the drive may become unavailable to the operating system and application. Long drive recovery timeouts are not acceptable in an enterprise environment because multiple users can be affected and because RAID systems do not tolerate an unresponsive drive. Therefore enterprise-class hard drives have a short command timeout value. When a drive has a problem reading a sector and the short timeout is exceeded, the drive will respond by attempting to recover missing data from the sector checksum if available. If that attempt fails, the drive will notify the controller and the controller will attempt to recover using redundant data on other disks in the RAID group and remap the bad sectors. The shorter timeout allows the recovery effort to take place while the system drives continue to support system disk access requests by the operating system.
- **Resilience to vibration.** Vibration from fans and other nearby hard drives can be transmitted to a drive through the system chassis, causing read/write errors if the head is pushed off-track. Enterprise-class drives use a more sophisticated compensation for vibration by sensing the vibration motion of the drive, and by sensing head position and track alignment. The drive can then react with additional actuator strength or wait for the spindle motor to bring the target media location under the head again so that it can reattempt access. Enterprise-class drive designs include a closed loop feedback system between the magnetic head and the spindle(s) to sense vibration anomalies and react accordingly. Consumer HDDs usually have fewer servo wedges than enterprise-class drives, or may have a single combined servo/data path processor. With a single processor, the consumer drive is unable to servo the head while writing to the media.
- **End-to-end data integrity.** In an enterprise-class drive, transmitted data is always accompanied by parity or checksum information. This allows data transmission errors to be detected, and in some cases corrected or retransmitted. In contrast, consumer-grade drives do not usually incorporate error correction code (ECC) in system memory or drive memory buffers. Enterprise-class systems use error detection at every stage within the system, including ECC support in system memory and drive memory to increase data integrity.
- **Variable sector size.** Consumer-grade drives use a fixed 512 byte sector with parity data enough for the controller to detect data errors in the sector but not enough to rebuild missing or corrupted data. Enterprise-class drive have variable sector sizes that allow the

controller to set the data size per sector and use the remaining space for a checksum that allows corrupted data to be recovered. The controller can detect the error and remap the drive using spare available sectors.

Drive reliability is commonly quantified as the number of hours mean time between failures (MTBF). Through the use of the techniques above, the reliability of enterprise-class HDDs is of the order of 1.2 million hours based on a duty cycle of 100% for 24 x 7 operation at 45°C. In contrast, consumer-grade drives are typically 700K hours MTBF based on 20% duty cycle and 5 x 8 hour operation at 25°C.

## Enterprise- and Consumer-Grade SSD/NAND Flash

The JEDEC standards body published report *JESD219: Solid State Drive (SSD) Endurance Workloads* in 2010 to define the distinct performance characteristics of enterprise and consumer use cases. The enterprise class differs in a number of ways from consumer-class SSDs including their ability to support heavier write workloads, more extreme environmental conditions, and recovery from a higher bit error rate (BER) than a consumer-grade SSD.

TABLE 2

### Consumer Versus Enterprise SSD

Workload	Active Use	Retention Use	Functional Failure Requirement (FFR)
Consumer	40°C	30°C	<=3%
Enterprise	55°C	40°C	<=3%

Source: JEDEC Standards, JESD219: Solid State Drive Endurance Workloads, 2010

The functional performance and long-term operational characteristics of NAND flash are determined to a large extent by the type/architecture of the memory cell. At present there are four main flash memory architectures: TLC, cMLC, eMLC, and SLC. All NAND flash memory contained in flash storage devices degrade in their ability to reliably store bits of data with every program or erase (P/E) cycle of a NAND flash memory cell until the NAND flash can no longer reliably store data. At this point it should be removed from the storage pool and the logical address moved to a new physical address on NAND flash storage array.

As the cell is constantly programmed or erased the error rate also increases linearly and therefore a complex set of management techniques must be implemented on the enterprise SSD to manage the cell capability for reliably storing data over the expected life of the SSD. The P/E endurance of a given NAND flash memory can vary widely depending on the manufacturing process and type of NAND flash produced. The relative merits of NAND flash memory types can be summarized as follows.

TABLE 3

Merits of NAND Flash Memory

NAND Flash Memory Type	SLC	eMLC	cMLC	TLC
Architecture	1 bit per cell	2 bits per cell	2 bits per cell	3 bits per cell
Endurance	Highest	High	Medium	Lowest
Capacity	Low	Medium	Medium	High
Bit error rate	10 <sup>9</sup>	10 <sup>8</sup>	10 <sup>7</sup>	10 <sup>4</sup>
Cost	Highest	High	Medium	Low

Source: IDC, 2013

The wide range of performance and reliability characteristics offered by NAND flash make it a highly versatile storage medium, able to align with the changing price/performance requirements of each storage tier. Vendor selection is critically important as technical innovations are bringing important functional improvements. For example, Toshiba NAND flash includes the following differentiators.

- QSBC error correction codes: Quadruple Swing-By Code, a strong Error Correction Code (ECC) protecting against read errors in the device.
- Deterministic zeroing TRIM function: allowing the host operating system to inform the SSD about data blocks which are no longer in use and can be wiped internally.
- Advanced power management (APM) technology to ensure the lowest levels of energy consumption. With an additional "data corrupt protection" feature, the SSDs protect any data which is being moved internally, against unexpected power-loss and write errors.

Just as with HDDs, there is a sharp divide between consumer- and enterprise-class NAND flash storage. Some storage system vendors will try to gain a pricing edge by offering consumer-grade components in systems for enterprise environments, perhaps with innovative system architecture. However, IDC believes that an understanding of the characteristics of the underlying storage media will be valuable in choosing and evaluating potential storage solutions.

### Toshiba's Storage Strategy

In IDC's view, Toshiba's ability to design and manufacture drives of the highest resilience and reliability has been one of the company's biggest contributions to storage technology. Toshiba has become the most successful supplier of 2.5in. drives for demanding mobile environments such as laptops, automotive, and industrial and enterprise systems.

Toshiba invented NAND flash memory and has significant investments in end-to-end fabrication facilities, including a \$4 billion joint venture with SanDisk for a new 16-17nm facility at Yokkaichi in Japan, announced in August 2013. Toshiba's research and manufacturing resources mean that it is the only company in the world that is able to offer a complete portfolio of HDD and NAND flash solutions for enterprise and consumer use cases. Toshiba is the major investor and key supplier to Violin Memory, which has pioneered enterprise-class flash storage solutions globally since 2010.

Toshiba is committed to both HDD and flash storage, emphasizing their complementary nature. Martin Larsson, Vice President, Storage Products Division, Toshiba Electronics Europe, comments: "HDD and flash memory technologies will continue to coexist, taking advantage of their complementary characteristics. Toshiba is the only vendor that covers the spectrum of HDD, SSD, and NAND flash memory. Inspired by our vision of Total Storage Innovation, we aim to be the leading storage solution provider in the evolving cloud and Big Data era."

Toshiba will offer HDDs for storage of large volumes of "cold" data. At the same time, it will strengthen its offerings of enterprise SSD by exploiting its proprietary NAND flash memory technology and know-how in controller and firmware design in enterprise HDDs. Future storage products will provide additional reliability and security (encryption) functions.

## CHALLENGES/OPPORTUNITIES FOR TOSHIBA

---

Toshiba has unique capabilities in the HDD and SSD market, but challenges can be identified:

- In Toshiba's corporate culture, engineering excellence and technical innovation are of the utmost importance. Flashy marketing is generally seen as a lower priority. Yet in today's confused market, the vendors that shout loudest can win attention from the buyers. New market entrants, often backed by significant venture capital, are in a hurry to win deals and build awareness. The clear risk for Toshiba is that it will be out-marketed by smaller and louder competitors that seek to negate or neutralize its commercial and technical edge.
- Enterprise-class storage arrays that leverage consumer-grade NAND flash are being offered by Toshiba/Violin Memory's competitors. The company faces a challenge in promoting the benefits of enterprise-grade flash, when some customers may consider a "good enough" solution.
- The current trend toward vendors acting more as IT architectural advisors to their enterprise clients presents both an opportunity and a challenge for any vendor. It affords a vendor the opportunity to showcase its broad skill set and can act as a catalyst for a better customer experience. Working collaboratively can be a challenging, but rewarding, path for both the vendor and the end user.

## CONCLUSION

---

The storage market today is arguably changing more rapidly than at any other time in its history. New market entrants with innovative architectures are working to subvert the incumbent vendors, which in turn are accelerating their development cycles to keep up with new advances. Software-defined storage is moving closer to mainstream adoption, with fundamental implications for the vendors and users alike.

Memory-based storage systems and SSDs have been deployed in enterprises for many years in environments that demanded the best performance regardless of the cost. However, IDC believes that because of the declining cost of NAND flash media and system-level advancements, solid-state technology will become pervasive across the enterprise and complement existing storage systems. Today's business and technology leaders should look to solution providers that offer a comprehensive portfolio to meet diverse enterprise workloads and those that have a strategic framework to help customers determine the optimal flash solution for their specific needs.

## About IDC

International Data Corporation (IDC) is the premier global provider of market intelligence, advisory services, and events for the information technology, telecommunications and consumer technology markets. IDC helps IT professionals, business executives, and the investment community make fact-based decisions on technology purchases and business strategy. More than 1000 IDC analysts provide global, regional, and local expertise on technology and industry opportunities and trends in over 110 countries worldwide. For more than 48 years, IDC has provided strategic insights to help our clients achieve their key business objectives. IDC is a subsidiary of IDG, the world's leading technology media, research, and events company.

## IDC U.K.

Chiswick Tower  
389 Chiswick High Road  
London W4 4AE, United Kingdom  
44.208.987.7100  
Twitter: @IDC  
idc-insights-community.com  
www.idc.com

---

### Copyright Notice

This IDC research document was published as part of an IDC continuous intelligence service, providing written research, analyst interactions, telebriefings, and conferences. Visit [www.idc.com](http://www.idc.com) to learn more about IDC subscription and consulting services. To view a list of IDC offices worldwide, visit [www.idc.com/offices](http://www.idc.com/offices). Please contact the IDC Hotline at 800.343.4952, ext. 7988 (or +1.508.988.7988) or [sales@idc.com](mailto:sales@idc.com) for information on applying the price of this document toward the purchase of an IDC service or for information on additional copies or Web rights.

Copyright 2014 IDC. Reproduction is forbidden unless authorized. All rights reserved.