

Application Note

FLASH UserInformation

Arm and Keil are registered trademarks of Arm Limited (or its subsidiaries) in the US and/or elsewhere.

All other company names, product names, and service names mentioned herein may be trademarks of their respective companies.

Table of Contents

Table of Contents.....	2
1. Preface	3
2. Technical Term	3
3. Reference Document	3
4. Target Sample Program	4
5. Configuration Diagram	4
6. Sample Program : FLASH_UserInformation	5
6.1. Outlines of Operation.....	5
6.2. Function to Use.....	5
6.3. Interrupt to Use	5
6.4. Configuration.....	5
6.5. Example of Terminal Emulator Output	6
6.5.1. Normal Operation	6
6.5.2. Case of Error Occurrence	6
7. FLASH Driver	6
7.1. List of driver	6
7.2. Details	6
8. Revision History	7
RESTRICTIONS ON PRODUCT USE	8

1. Preface

This application note describes sample software for the rewriting function of the User Information area using the flash driver.

This document helps the user check operation of a product under development and develop its program.

2. Technical Term

Term/Abbreviation	Definition
BSP	Board Support Package
UART	Universal Asynchronous Receiver Transmitter
T32A	T32A : 32-bit Timer Event Counter


3. Reference Document

Document	Notes
Data sheet	Refer to the data sheet of MCU to be used.
Reference manual	Refer to the reference manual of each IP to be used.
Application note MCU User Guide	Refer to the MCU user manual to be used.
Driver API list	Refer to the MCU Doc folder to be used.

4. Target Sample Program

Sample Program	Outline
FLASH_UserInformation	Sample program of FLASH_UserInformation function

5. Configuration Diagram



6. Sample Program : FLASH_UserInformation

This is sample software that accesses (Write / Erase) User_Information_A each time BSP_PSW_1 is pressed.

6.1. Outlines of Operation

Press Push-Switch to copy the flash process to RAM.

After that, User_Information_A is deleted and the character string A is written from the start address of User_Information_A.

After the writing is completed, the data for Backup Size is saved in RAM_A from the beginning of User_Information_A.

6.2. Function to Use

The functions to use are as follows.

For the Port assignment of each channel, refer to the MCU user manual.

IP	Channel	Objective
PORT(Push-Switch)	BSP_PSW_1	For event triggers
UART	BSP_UART_1	For terminal emulator communication (Outputs log)

6.3. Interrupt to Use

Interrupt	Outlines
INTUART0RX	UART ch0 Receive interrupt for terminal emulator
INTUART0TX	UART ch0 Transmission interrupt for terminal emulator
INTUART0ERR	UART ch0 Error interrupt for terminal emulator

6.4. Configuration

“main.c” configuration setting.

Configuration	Current Value	Description
User_Information_A	User_Information_all_area	-
Backup Size	User_Information_all_area	-
RAM A	GetUserInformation Data	“GetUserInformationData” is the RAM name
String_A	“Toshiba MCU name User Information Example”	-

6.5. Example of Terminal Emulator Output

6.5.1. Normal Operation

```

Please press the S4
RAM transferring
Erasing.
Writeing.
Finished.
Check a variable GetUserInformationData
Please press the S4
    
```

6.5.2. Case of Error Occurrence

Nothing.

7. FLASH Driver

7.1. List of driver

The FLASH is controlled by using the following interface.
For an example of use, refer to the source code.

Driver	Control Outlines
fc_enable_areasel	AREA0 Enabled
fc_disable_areasel	AREA0 Disable
fc_get_status	Get the status of flash automation
fc_write_code_flash	Code flash ROM auto write command
fc_write_data_flash	Data flash auto write command
fc_erase_page_code_flash	Code flash ROM automatic page erase command
fc_erase_page_data_flash	Data flash automatic page erase command
fc_blank_check_page_code_flash	Check for blanks in code FLASH ROM on the specified page
fc_blank_check_page_data_flash	Check for blanks in the data flash on the specified page
fc_erase_block_data_flash	Data flash automatic block erase command
fc_blank_check_block_data_flash	Check for blanks in the data FLASH of the specified block
fc_erase_area_data_flash	Data flash automatic area erase command
fc_blank_check_area_data_flash	Check for blanks in the data FLASH in the specified area
fc_write_user_information_area	User information area auto write command
fc_erase_user_information_area	User information area automatic page clear command
fc_read_user_information_area	Reading the user information area
fc_read_clock_set	Read time setting
fc_protect_clear	Clear the project
fc_protect_status	Check the protection status
fc_security_clear	Erase protection
fc_security_status	Check security status
fc_read_buf_set	Enable / Disable Read Buffer

7.2. Details

See “3. Reference Documents” for more information.

8. Revision History

Revision	Date	Description
1.0	2022-04-08	First release

RESTRICTIONS ON PRODUCT USE

Toshiba Corporation and its subsidiaries and affiliates are collectively referred to as "TOSHIBA". Hardware, software and systems described in this document are collectively referred to as "Product".

- TOSHIBA reserves the right to make changes to the information in this document and related Product without notice.
- This document and any information herein may not be reproduced without prior written permission from TOSHIBA. Even with TOSHIBA's written permission, reproduction is permissible only if reproduction is without alteration/omission.
- Though TOSHIBA works continually to improve Product's quality and reliability, Product can malfunction or fail. Customers are responsible for complying with safety standards and for providing adequate designs and safeguards for their hardware, software and systems which minimize risk and avoid situations in which a malfunction or failure of Product could cause loss of human life, bodily injury or damage to property, including data loss or corruption. Before customers use the Product, create designs including the Product, or incorporate the Product into their own applications, customers must also refer to and comply with (a) the latest versions of all relevant TOSHIBA information, including without limitation, this document, the specifications, the data sheets and application notes for Product and the precautions and conditions set forth in the "TOSHIBA Semiconductor Reliability Handbook" and (b) the instructions for the application with which the Product will be used with or for. Customers are solely responsible for all aspects of their own product design or applications, including but not limited to (a) determining the appropriateness of the use of this Product in such design or applications; (b) evaluating and determining the applicability of any information contained in this document, or in charts, diagrams, programs, algorithms, sample application circuits, or any other referenced documents; and (c) validating all operating parameters for such designs and applications. **TOSHIBA ASSUMES NO LIABILITY FOR CUSTOMERS' PRODUCT DESIGN OR APPLICATIONS.**
- **PRODUCT IS NEITHER INTENDED NOR WARRANTED FOR USE IN EQUIPMENTS OR SYSTEMS THAT REQUIRE EXTRAORDINARILY HIGH LEVELS OF QUALITY AND/OR RELIABILITY, AND/OR A MALFUNCTION OR FAILURE OF WHICH MAY CAUSE LOSS OF HUMAN LIFE, BODILY INJURY, SERIOUS PROPERTY DAMAGE AND/OR SERIOUS PUBLIC IMPACT ("UNINTENDED USE").** Except for specific applications as expressly stated in this document, Unintended Use includes, without limitation, equipment used in nuclear facilities, equipment used in the aerospace industry, lifesaving and/or life supporting medical equipment, equipment used for automobiles, trains, ships and other transportation, traffic signaling equipment, equipment used to control combustions or explosions, safety devices, elevators and escalators, and devices related to power plant. **IF YOU USE PRODUCT FOR UNINTENDED USE, TOSHIBA ASSUMES NO LIABILITY FOR PRODUCT.** For details, please contact your TOSHIBA sales representative or contact us via our website.
- Do not disassemble, analyze, reverse-engineer, alter, modify, translate or copy Product, whether in whole or in part.
- Product shall not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable laws or regulations.
- The information contained herein is presented only as guidance for Product use. No responsibility is assumed by TOSHIBA for any infringement of patents or any other intellectual property rights of third parties that may result from the use of Product. No license to any intellectual property right is granted by this document, whether express or implied, by estoppel or otherwise.
- **ABSENT A WRITTEN SIGNED AGREEMENT, EXCEPT AS PROVIDED IN THE RELEVANT TERMS AND CONDITIONS OF SALE FOR PRODUCT, AND TO THE MAXIMUM EXTENT ALLOWABLE BY LAW, TOSHIBA (1) ASSUMES NO LIABILITY WHATSOEVER, INCLUDING WITHOUT LIMITATION, INDIRECT, CONSEQUENTIAL, SPECIAL, OR INCIDENTAL DAMAGES OR LOSS, INCLUDING WITHOUT LIMITATION, LOSS OF PROFITS, LOSS OF OPPORTUNITIES, BUSINESS INTERRUPTION AND LOSS OF DATA, AND (2) DISCLAIMS ANY AND ALL EXPRESS OR IMPLIED WARRANTIES AND CONDITIONS RELATED TO SALE, USE OF PRODUCT, OR INFORMATION, INCLUDING WARRANTIES OR CONDITIONS OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, ACCURACY OF INFORMATION, OR NONINFRINGEMENT.**
- Do not use or otherwise make available Product or related software or technology for any military purposes, including without limitation, for the design, development, use, stockpiling or manufacturing of nuclear, chemical, or biological weapons or missile technology products (mass destruction weapons). Product and related software and technology may be controlled under the applicable export laws and regulations including, without limitation, the Japanese Foreign Exchange and Foreign Trade Law and the U.S. Export Administration Regulations. Export and re-export of Product or related software or technology are strictly prohibited except in compliance with all applicable export laws and regulations.
- Please contact your TOSHIBA sales representative for details as to environmental matters such as the RoHS compatibility of Product. Please use Product in compliance with all applicable laws and regulations that regulate the inclusion or use of controlled substances, including without limitation, the EU RoHS Directive. **TOSHIBA ASSUMES NO LIABILITY FOR DAMAGES OR LOSSES OCCURRING AS A RESULT OF NONCOMPLIANCE WITH APPLICABLE LAWS AND REGULATIONS.**

Toshiba Electronic Devices & Storage Corporation

<https://toshiba.semicon-storage.com/>