TOSHIBA

2020-2-27 Rev.2.0

RD Number: RD141

RD Title: TC78S600FTG Evaluation circuit BOM

Item No.	Designator	Quantity	Value	Part Number	Manufacturer	Description	Package	Not Mount
1	C_OSC	1	220pF 100V	-	_	Chip capacitor		
2	C_Vcc1	1	10µF 16V	-	_	Electrolytic capacitor		
3	C_Vcc2	1	0.1μF 100V	-	_	Chip capacitor		
4	C_VM 1	1	47μF 50V	_	_	Electrolytic capacitor		
5	C_VM2	1	0.1μF 100V	_	_	Ceramic capacitor		
6	C_Vref	1	0.1μF 100V	_	_	Chip capacitor		
7	C_AO1	0	1000pF	_	_	Chip capacitor		✓
8	C_AO2	0	1000pF	_	_	Chip capacitor		✓
9	C_BO1	0	1000pF	_	_	Chip capacitor		✓
10	C_BO2	0	1000pF	_	_	Chip capacitor		✓
11	C_TQ	0	0.1μF 100V	_	_	Chip capacitor		✓
12	C_ENABLE	0	0.1μF 100V	_	_	Chip capacitor		✓
13	C_CK	0	0.1μF 100V	_	_	Chip capacitor		✓
14	C_M1	0	0.1μF 100V	_	_	Chip capacitor		✓
15	C_M2	0	0.1μF 100V	_	_	Chip capacitor		✓
16	C_CW/CCW	0	0.1μF 100V	_	_	Chip capacitor		✓
17	R_RFA	1	0.51Ω 0.5W	_	_	Chip resistor		
18	R_RFB	1	0.51Ω 0.5W	_	_	Chip resistor		
19	R_MO	1	100kΩ 0.25W	_	_	Chip resistor		
20	CON1	1	Connector 4P	_	_	Connector 4P-2.5		
21	CON2	0	Connector 2P	_	_	Connector 2P-2.5		✓
22	CON3	0	Connector 2P	_	_	Connector 2P-2.5		✓
23	VM	1	Check terminal	_	_	Check pin		
24	Vcc	1	Check terminal	_	_	Check pin		
25	Vref	1	Check terminal	_	_	Check pin		
26	/RESET	1	Check terminal		_	Check pin		

27	/MO	1	Check terminal	_	_	Check pin	
28	TQ	1	Check terminal	_	_	Check pin	
29	ENABLE	1	Check terminal	_	_	Check pin	
30	CK	1	Check terminal	_	_	Check pin	
31	/STBY	1	Check terminal	_	_	Check pin	
32	M1	1	Check terminal	-	_	Check pin	
33	M2	1	Check terminal	-	_	Check pin	
34	CW/CCW	1	Check terminal	_	_	Check pin	
35	OSC	1	Check terminal	_	_	Check pin	
36	AO1	1	Check terminal	_	_	Check pin	
37	AO2	1	Check terminal	_	_	Check pin	
38	BO1	1	Check terminal	_	_	Check pin	
39	BO2	1	Check terminal	_	_	Check pin	
40	GND1	1	Check terminal	_	_	Check pin	
41	GND2	1	Check terminal	_	_	Check pin	
42	GND3	1	Check terminal	_	_	Check pin	
43	GND4	1	Check terminal	_	_	Check pin	
44	GND5	1	Check terminal	_	_	Check pin	
45	GND6	1	Check terminal	_	_	Check pin	
46	GND	1	Check terminal	_	_	Check pin	
47	SW2(ENABLE)	1	Pin header 3P	_	_	Jumper	
48		1	Jumper socket	_	_	Short pin	
49	SW3(CK)	0	Pin header 3P	_	_	Jumper	✓
50		0	Jumper socket	_	_	Short pin	✓
51	SW6(/STBY)	1	Pin header 3P	_	_	Jumper	
52		1	Jumper socket	_	_	Short pin	
53	SW8(M1)	1	Pin header 3P	_	_	Jumper	
54		1	Jumper socket	_	_	Short pin	
55	SW9(M2)	1	Pin header 3P	_	_	Jumper	
56		1	Jumper socket	_	_	Short pin	
57	SW12(CW/CCW)	1	Pin header 3P	_	_	Jumper	
58		1	Jumper socket	_	_	Short pin	
59	SW19(/RESET)	1	Pin header 3P	_	_	Jumper	
60		1	Jumper socket		_	Short pin	

61	SW23(TQ)	1	Pin header 3P	_	_	Jumper		
62		1	Jumper socket	_	_	Short pin		
63	JP_VCC	1	Pin header 2P	_	_	Jumper		
64		1	Jumper socket	_	_	Short pin		
65	IC	1	TC78S600FTG	TC78S600FTG	TOSHIBA	Motor driver IC	QFN24	

Terms of Use

This terms of use is made between Toshiba Electronic Devices and Storage Corporation ("We") and customers who use documents and data that are consulted to design electronics applications on which our semiconductor devices are mounted ("this Reference Design"). Customers shall comply with this terms of use. Please note that it is assumed that customers agree to any and all this terms of use if customers download this Reference Design. We may, at its sole and exclusive discretion, change, alter, modify, add, and/or remove any part of this terms of use at any time without any prior notice. We may terminate this terms of use at any time and for any reason. Upon termination of this terms of use, customers shall destroy this Reference Design. In the event of any breach thereof by customers, customers shall destroy this Reference Design, and furnish us a written confirmation to prove such destruction.

1. Restrictions on usage

- 1. This Reference Design is provided solely as reference data for designing electronics applications. Customers shall not use this Reference Design for any other purpose, including without limitation, verification of reliability.
- 2. This Reference Design is for customer's own use and not for sale, lease or other transfer.
- 3. Customers shall not use this Reference Design for evaluation in high or low temperature, high humidity, or high electromagnetic environments.
- 4. This Reference Design shall not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable laws or regulations.

2. Limitations

- 1. We reserve the right to make changes to this Reference Design without notice.
- 2. This Reference Design should be treated as a reference only. We are not responsible for any incorrect or incomplete data and information.
- 3. Semiconductor devices can malfunction or fail. When designing electronics applications by referring to this Reference Design, customers are responsible for complying with safety standards and for providing adequate designs and safeguards for their hardware, software and systems which minimize risk and avoid situations in which a malfunction or failure of semiconductor devices could cause loss of human life, bodily injury or damage to property, including data loss or corruption. Customers must also

- refer to and comply with the latest versions of all relevant our information, including without limitation, specifications, data sheets and application notes for semiconductor devices, as well as the precautions and conditions set forth in the "Semiconductor Reliability Handbook".
- 4. When designing electronics applications by referring to this Reference Design, customers must evaluate the whole system adequately. Customers are solely responsible for all aspects of their own product design or applications. WE ASSUME NO LIABILITY FOR CUSTOMERS' PRODUCT DESIGN OR APPLICATIONS.
- 5. No responsibility is assumed by us for any infringement of patents or any other intellectual property rights of third parties that may result from the use of this Reference Design. No license to any intellectual property right is granted by this terms of use, whether express or implied, by estoppel or otherwise.
- 6. THIS REFERENCE DESIGN IS PROVIDED "AS IS". WE (a) ASSUME NO LIABILITY WHATSOEVER, INCLUDING WITHOUT LIMITATION, INDIRECT, CONSEQUENTIAL, SPECIAL, OR INCIDENTAL DAMAGES OR LOSS, INCLUDING WITHOUT LIMITATION, LOSS OF PROFITS, LOSS OF OPPORTUNITIES, BUSINESS INTERRUPTION AND LOSS OF DATA, AND (b) DISCLAIM ANY AND ALL EXPRESS OR IMPLIED WARRANTIES AND CONDITIONS RELATED TO THIS REFERENCE DESIGN, INCLUDING WARRANTIES OR CONDITIONS OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, ACCURACY OF INFORMATION, OR NONINFRINGEMENT.

3. Export Control

Customers shall not use or otherwise make available this Reference Design for any military purposes, including without limitation, for the design, development, use, stockpiling or manufacturing of nuclear, chemical, or biological weapons or missile technology products (mass destruction weapons). This Reference Design may be controlled under the applicable export laws and regulations including, without limitation, the Japanese Foreign Exchange and Foreign Trade Law and the U.S. Export Administration Regulations. Export and re-export of this Reference Design are strictly prohibited except in compliance with all applicable export laws and regulations.

4. Governing Laws

This terms of use shall be governed and construed by laws of Japan.