

Item No.	Designator	Quantity	Value	Part Number	Manufacturer	Description	Package Name	Standard Dimensions mm (inch)
1	IC1	1		LM5046MH/NOPB	Texas Instruments	PWM Controller	HTSSOP	
2	IC2	1		UCC27524DSD	Texas Instruments	Low-Side Gate Driver	WSON	
3	IC3	1		TPS70933DRVR	Texas Instruments	Voltage Regulator	WSON	
4	IC4	1		TLVH431AQDBV	Texas Instruments	Shunt Regulator	SOT-23	
5	IC5	1		XC6133N18EMR-G	TOREX	Voltage Detector	SOT-26	
6	IC6	1		DCL520C00	TOSHIBA	Digital isolator	SOIC8-N	
7	Q1, Q2, Q3, Q4	4		TPN1200APL	TOSHIBA	N-ch MOSFET, 100V, 66A	TSON Advance	
8	Q5, Q6, Q7, Q8	4		TPH2R70AR5	TOSHIBA	N-ch MOSFET, 100V, 190A	SOP Advance(N)	
9	Q9, Q11	2		SSM3K15ACT	TOSHIBA	N-ch MOSFET, 30V, 100mA	CST3	
10	Q10	1		FCX690BTA	Diodes Incorporated	Power Transistor	SOT89	
11	Q12, Q13	2		2SC4116-Y	TOSHIBA	NPN Transistor	USM	
12	D1	1		1SS352	TOSHIBA	Diode	USC	
13	D2, D7, D8, D9	4		DFLS1100-7	Diodes Incorporated	Schottky Barrier Diode	POWERDI® 123	
14	D3, D4, D5, D6, D10, D11, D12, D13, D16, D17, D18, D19	12		CUHS15S30	TOSHIBA	Schottky Barrier Diode	US2H	
15	D14, D15	2		CMH01	TOSHIBA	Diode	M-FLAT	
16	D20	1		CRS10I30B	TOSHIBA	Schottky Barrier Diode	S-FLAT	
17	D21	1		BZT52C11	Diodes Incorporated	Zener Diode	SOD123	
18	D22, D23, D24, D25, D26, D27, D29	7		CTS05F40	TOSHIBA	Schottky Barrier Diode	CST2	
19	D28	1		UDZVTE-17-10B	ROHM	Zener Diode	SOD-323FL	
20	DS1	1		TLP291(GR,SE)	TOSHIBA	Photocoupler	SO4	
21	R1, R4, R7, R10, R13, R28, R34, R49, R50, R74, R75, R87, R90	13	10kΩ			100mW, ±5%		1.0 x 0.5 (0402)
22	R2, R5, R11, R12	4	10Ω			250mW, ±1%		3.2 x 1.6 (1206)
23	R3, R6, R9	3	4.7Ω			250mW, ±1%		3.2 x 1.6 (1206)
24	R8, R24, R27, R30, R33	5	0Ω			2A		3.2 x 1.6 (1206)
25	R14	1	2.2Ω			100mW, ±5%		1.6 x 0.8 (0603)
26	R15	1	5.1kΩ			100mW, ±5%		1.0 x 0.5 (0402)
27	R18	1	10kΩ			1W, ±5%		6.3 x 3.2 (2412)
28	R19	1	240kΩ			100mW, ±1%		1.0 x 0.5 (0402)
29	R20	1	24kΩ			100mW, ±1%		1.0 x 0.5 (0402)
30	R21, R22, R44, R55, R97	5	1kΩ			100mW, ±5%		1.0 x 0.5 (0402)
31	R25, R26, R31, R32	4	20Ω			250mW, ±1%		3.2 x 1.6 (1206)
32	R36	1	100kΩ			250mW, ±5%		2.0 x 1.2 (0805)
33	R37	1	1MΩ			100mW, ±5%		1.0 x 0.5 (0402)

Item No.	Designator	Quantity	Value	Part Number	Manufacturer	Description	Package Name	Standard Dimensions mm (inch)
34	R38, R40	2	100k Ω			100mW, $\pm 5\%$		1.0 x 0.5 (0402)
35	R39	1	20 Ω			500mW, $\pm 5\%$		3.2 x 2.5 (1210)
36	R41	1	220k Ω			100mW, $\pm 5\%$		1.0 x 0.5 (0402)
37	R42	1	2.49k Ω			63mW, $\pm 0.5\%$		1.0 x 0.5 (0402)
38	R43	1	1.6k Ω			63mW, $\pm 0.5\%$		1.0 x 0.5 (0402)
39	R45, R88	2	20 Ω			250mW, $\pm 1\%$		2.0 x 1.2 (0805)
40	R46	1	3.9k Ω			63mW, $\pm 0.5\%$		1.0 x 0.5 (0402)
41	R47	1	110k Ω			63mW, $\pm 0.5\%$		1.0 x 0.5 (0402)
42	R48	1	16k Ω			63mW, $\pm 0.5\%$		1.0 x 0.5 (0402)
43	R51	1	27k Ω			63mW, $\pm 0.5\%$		1.0 x 0.5 (0402)
44	R52, R65, R66, R68, R71, R73	6	0 Ω			1A		1.0 x 0.5 (0402)
45	R53	1	9.1k Ω			63mW, $\pm 0.5\%$		1.0 x 0.5 (0402)
46	R54	1	20k Ω			63mW, $\pm 0.5\%$		1.0 x 0.5 (0402)
47	R56	1	330 Ω			100mW, $\pm 5\%$		1.0 x 0.5 (0402)
48	R59	1	49.9 Ω			63mW, $\pm 1\%$		1.0 x 0.5 (0402)
49	R60	1	1.2k Ω			63mW, $\pm 0.5\%$		1.0 x 0.5 (0402)
50	R61	1	18k Ω			63mW, $\pm 0.5\%$		1.0 x 0.5 (0402)
51	R63	1	2.2k Ω			63mW, $\pm 0.5\%$		1.0 x 0.5 (0402)
52	R70, R72	2	2.2 Ω			100mW, $\pm 5\%$		1.0 x 0.5 (0402)
53	R77	1	470 Ω			100mW, $\pm 5\%$		1.0 x 0.5 (0402)
54	R78	1	1.2k Ω			63mW, $\pm 1\%$		1.0 x 0.5 (0402)
55	R79	1	2.2k Ω			100mW, $\pm 5\%$		1.0 x 0.5 (0402)
56	R80	1	1 Ω			100mW, $\pm 5\%$		1.0 x 0.5 (0402)
57	R89	1	7.5k Ω			63mW, $\pm 0.5\%$		1.0 x 0.5 (0402)
58	C1, C2, C3, C4	4	10 μ F			Ceramic, 100V, $\pm 10\%$		3.2 x 2.5 (1210)
59	C5, C7, C12, C20, C31, C32, C34, C36, C44, C46, C48	11	100nF			Ceramic, 25V, $\pm 10\%$		1.0 x 0.5 (0402)
60	C6	1	470nF			Ceramic, 100V, $\pm 10\%$		3.2 x 1.6 (1206)
61	C8	1	2.2 μ F			Ceramic, 25V, $\pm 10\%$		2.0 x 1.2 (0805)
62	C9, C11, C14, C29, C40, C41, C43, C45	8	1 μ F			Ceramic, 25V, $\pm 10\%$		1.6 x 0.8 (0603)
63	C10	1	1 μ F			Ceramic, 50V, $\pm 10\%$		2.0 x 1.2 (0805)
64	C13	1	2.2 μ F			Ceramic, 10V, $\pm 10\%$		1.0 x 0.5 (0402)
65	C15, C16	2	10 μ F			Ceramic, 25V, $\pm 10\%$		2.0 x 1.2 (0805)
66	C19	1	220nF			Ceramic, 100V, $\pm 10\%$		2.0 x 1.2 (0805)
67	C21, C22, C23, C24, C25, C26, C27	7	22 μ F			Ceramic, 25V, $\pm 20\%$		3.2 x 2.5 (1210)

Item No.	Designator	Quantity	Value	Part Number	Manufacturer	Description	Package Name	Standard Dimensions mm (inch)
68	C28	1	100nF			Ceramic, 100V, ±10%		1.6 x 0.8 (0603)
69	C30	1	100pF			Ceramic, 50V, ±5%		1.0 x 0.5 (0402)
70	C33	1	1μF			Ceramic, 25V, ±10%		1.0 x 0.5 (0402)
71	C35	1	10nF			Ceramic, 25V, ±10%		1.0 x 0.5 (0402)
72	C42	1	1500pF			Ceramic, 2kV, ±10%		4.5 x 2.0 (1808)
73	C47	1	1nF			Ceramic, 50V, ±10%		1.0 x 0.5 (0402)
74	L1	1	0.47μH	744314047	Würth Elektronik	±20%		7.0 x 6.9
75	L2	1	3.3μH	74435580330	Würth Elektronik	29A		22.5 x 22.0
76	L3	1	680μH	74404064681	Würth Elektronik	±20%		6.0 x 6.0
77	L4	1	0.1μH	KTA5050-101MEC	Coilcraft	±20%		5.4 x 5.0
78	T1	1	1:200	53200C	Murata	10A		8.3 x 7.2
79	T2	1		750345874	Würth Elektronik	2250Vrms		37.34 x 35.56
80	CN1, CN2, CN3	3		6834-0-00-15-00- 00-03-0	Mill-Max	PRINTED CIRCUIT PINS		
81	CN4, CN5	2		8237-0-05-15-00- 00-03-0	Mill-Max	PRINTED CIRCUIT PINS		

Not Mounted Items

Item No.	Designator	Quantity	Value	Part Number	Manufacturer	Description	Package Name	Standard Dimensions mm (inch)	Not Mounted
82	R16, R17	2	3.3kΩ			3W, ±5%		6.3 x 3.2 (2412)	Not Mounted
83	R29, R35	2	15Ω			3W, ±5%		6.3 x 3.2 (2412)	Not Mounted
84	R57	1	10kΩ			100mW, ±5%		1.0 x 0.5 (0402)	Not Mounted
85	R58	1	620Ω			63mW, ±1%		1.0 x 0.5 (0402)	Not Mounted
86	R62	1	182Ω			63mW, ±1%		1.0 x 0.5 (0402)	Not Mounted
87	R64, R91	2	0Ω			1A		1.0 x 0.5 (0402)	Not Mounted
88	R92, R93, R94, R95, R96	5	750Ω			500mW, ±1%		3.2 x 2.5 (1210)	Not Mounted
89	C17, C18	2	1nF			Ceramic, 25V, ±10%		2.0 x 1.2 (0805)	Not Mounted
90	C37	1	100pF			Ceramic, 50V, ±5%		1.0 x 0.5 (0402)	Not Mounted
91	C38, C39	2	15nF			Ceramic, 25V, ±10%		1.0 x 0.5 (0402)	Not Mounted

Terms of Use

This terms of use is made between Toshiba Electronic Devices and Storage Corporation ("We") and Customer who downloads or uses this Reference Design. Customer shall comply with this terms of use. This Reference Design means all documents and data in order to design electronics applications on which our semiconductor device is embedded.

Section 1. Restrictions on usage

1. This Reference Design is provided solely as reference data for designing electronics applications. Customer shall not use this Reference Design for any other purpose, including without limitation, verification of reliability.
2. Customer shall not use this Reference Design for sale, lease or other transfer.
3. Customer shall not use this Reference Design for evaluation in high or low temperature, high humidity, or high electromagnetic environments.
4. This Reference Design shall not be used for or incorporated into any product or system whose manufacture, use, or sale is prohibited under any applicable laws or regulations.

Section 2. Limitations

1. We reserve the right to make changes to this Reference Design without notice.
2. This Reference Design should be treated as a reference only. WE ARE NOT RESPONSIBLE FOR ANY INCORRECT OR INCOMPLETE DATA AND INFORMATION.
3. Semiconductor devices can malfunction or fail. When designing electronics applications by referring to this Reference Design, Customer is responsible for complying with safety standards and for providing adequate designs and safeguards for their hardware, software and systems which minimize risk and avoid situations in which a malfunction or failure of semiconductor devices could cause loss of human life, bodily injury or damage to property, including data loss or corruption. Customer must also refer to and comply with the latest versions of all relevant our information, including without limitation, specifications, data sheets and application notes for semiconductor devices, as well as the precautions and conditions set forth in the "Semiconductor Reliability Handbook".
4. Designing electronics applications by referring to this Reference Design, Customer must evaluate the whole system sufficiently. Customer is solely responsible for applying this Reference Design to Customer's own product design or applications. WE ASSUME NO LIABILITY FOR CUSTOMER'S PRODUCT DESIGN OR APPLICATIONS.
5. WE SHALL NOT BE RESPONSIBLE FOR ANY INFRINGEMENT OF PATENTS OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS OF THIRD PARTIES THAT MAY RESULT FROM THE USE OF THIS REFERENCE DESIGN. NO LICENSE TO ANY INTELLECTUAL PROPERTY RIGHT IS GRANTED BY THIS TERMS OF USE, WHETHER EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE.
6. THIS REFERENCE DESIGN IS PROVIDED "AS IS". WE (a) ASSUME NO LIABILITY WHATSOEVER, INCLUDING WITHOUT LIMITATION, INDIRECT, CONSEQUENTIAL, SPECIAL, OR INCIDENTAL DAMAGES OR LOSS, INCLUDING WITHOUT LIMITATION, LOSS OF PROFITS, LOSS OF OPPORTUNITIES, BUSINESS INTERRUPTION AND LOSS OF DATA, AND (b) DISCLAIM ANY AND ALL EXPRESS OR IMPLIED WARRANTIES AND CONDITIONS RELATED TO THIS REFERENCE DESIGN, INCLUDING WITHOUT LIMITATION, WARRANTIES OR CONDITIONS OF FUNCTION AND WORKING, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, ACCURACY OF INFORMATION, OR NONINFRINGEMENT.

Section 3. Terms and Termination

It is assumed that Customer agrees to any and all this terms of use if Customer downloads or uses this Reference Design. We may, at its sole and exclusive discretion, change, alter, modify, add, and/or remove any part of this terms of use at any time without any prior notice. We may terminate this terms of use at any time and without any cause. Upon termination of this terms of use, Customer shall eliminate this Reference Design. Furthermore, upon our request, Customer shall submit to us a written confirmation to prove elimination of this Reference Design.

Section 4. Export Control

Customer shall not use or otherwise make available this Reference Design for any military purposes, including without limitation, for the design, development, use, stockpiling or manufacturing of nuclear, chemical, or biological weapons or missile technology products (mass destruction weapons). This Reference Design may be controlled under the applicable export laws and regulations including, without limitation, the Japanese Foreign Exchange and Foreign Trade Act and the U.S. Export Administration Regulations. Export and re-export of this Reference Design is strictly prohibited except in compliance with all applicable export laws and regulations.

Section 5. Governing Laws

This terms of use shall be governed and construed by laws of Japan, without reference to conflict of law principle.

Section 6. Jurisdiction

Unless otherwise specified, Tokyo District Court in Tokyo, Japan shall be exclusively the court of first jurisdiction for all disputes under this terms of use.

ご利用規約

本規約は、お客様と東芝デバイス&ストレージ株式会社（以下「当社」といいます）との間で、当社半導体製品を搭載した機器を設計する際に参考となるドキュメント及びデータ（以下「本リファレンスデザイン」といいます）の使用に関する条件を定めるものです。お客様は本規約を遵守しなければなりません。

第1条 禁止事項

お客様の禁止事項は、以下の通りです。

1. 本リファレンスデザインは、機器設計の参考データとして使用されることを意図しています。信頼性検証など、それ以外の目的には使用しないでください。
2. 本リファレンスデザインを販売、譲渡、貸与等しないでください。
3. 本リファレンスデザインは、高温・多湿・強電磁界などの対環境評価には使用できません。
4. 本リファレンスデザインを、国内外の法令、規則及び命令により、製造、使用、販売を禁止されている製品に使用しないでください。

第2条 保証制限等

1. 本リファレンスデザインは、技術の進歩などにより予告なしに変更されることがあります。
2. 本リファレンスデザインは参考用のデータです。当社は、データ及び情報の正確性、完全性に関して一切の保証をいたしません。
3. 半導体素子は誤作動したり故障したりすることがあります。本リファレンスデザインを参考に機器設計を行う場合は、誤作動や故障により生命・身体・財産が侵害されることのないように、お客様の責任において、お客様のハードウェア・ソフトウェア・システムに必要な安全設計を行うことをお願いします。また、使用されている半導体素子に関する最新の情報（半導体信頼性ハンドブック、仕様書、データシート、アプリケーションノートなど）をご確認の上、これに従ってください。
4. 本リファレンスデザインを参考に機器設計を行う場合は、システム全体で十分に評価し、お客様の責任において適用可否を判断して下さい。当社は、適用可否に対する責任を負いません。
5. 本リファレンスデザインは、その使用に際して当社及び第三者の知的財産権その他の権利に対する保証又は実施権の許諾を行うものではありません。
6. 当社は、本リファレンスデザインに関して、明示的にも黙示的にも一切の保証（機能動作の保証、商品性の保証、特定目的への合致の保証、情報の正確性の保証、第三者の権利の非侵害保証を含むがこれに限らない。）をせず、また当社は、本リファレンスデザインに関する一切の損害（間接損害、結果的損害、特別損害、付随的損害、逸失利益、機会損失、休業損害、データ喪失等を含むがこれに限らない。）につき一切の責任を負いません。

第3条 契約期間

本リファレンスデザインをダウンロード又は使用することをもって、お客様は本規約に同意したものとみなされます。本規約は予告なしに変更される場合があります。当社は、理由の如何を問わずいつでも本規約を解除することができます。本規約が解除された場合は、お客様は本リファレンスデザインを破棄しなければなりません。さらに当社が要求した場合には、お客様は破棄したことを証する書面を当社に提出しなければなりません。

第4条 輸出管理

お客様は本リファレンスデザインを、大量破壊兵器の開発等の目的、軍事利用の目的、あるいはその他軍事用途の目的で使用してはなりません。また、お客様は「外国為替及び外国貿易法」、「米国輸出管理規則」等、適用ある輸出関連法令を遵守しなければなりません。

第5条 準拠法

本規約の準拠法は日本法とします。

第6条 管轄裁判所

本リファレンスデザインに関する全ての紛争については、別段の定めがない限り東京地方裁判所を第一審の専属管轄裁判所とします。